

Printing date 08.12.2023

Version number 1

Revision: 08.12.2023

Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier · Trade name: Aerosol UV Blender · (Article number) product ID.: REZ1050 · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Application of the substance / the mixture: painting · Uses advised against No further relevant information available. · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Peter Kwasny GmbH Heilbronner Str. 96 D-74831 Gundelsheim Tel.: 0049-(0)6269-95-20 E-mail: labor@kwasny.de · Further information obtainable from: Product safety department · 1.4 Emergency telephone number: Tel.:+49 6269 95 20 • national: National Poisons Information Service, Birmingham Tel.: 844 892 0111 · K-Nr. 0001 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Aerosol 1 H222 Extremely flammable aerosol. H229 Pressurised container: May burst if heated. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS02 GHS07

(Contd. on page 2)

Printing date 08.12.	2023	Version number 1	Revision: 08.12.2023
Trade name: Aerosol UV Blender			
			(Contd. of page 1)
• Signal word Da	inger		
• Hazard-determi	ining componen	ts of labelling:	
ethyl acetate			
• Hazard stateme			
	y flammable aero		
		iy burst if heated.	
	erious eye irritati		
	e drowsiness or a	dizziness.	
• Precautionary s			
P101		lvice is needed, have product container or l	abel at hand.
P102		reach of children.	
P103		ly and follow all instructions.	1 .1
P210	Keep away j smoking.	from heat, hot surfaces, sparks, open flam	es and other ignition sources. No
P211	Do not spray	on an open flame or other ignition source.	
P251	Do not pierc	e or burn, even after use.	
P271		doors or in a well-ventilated area.	
P305+P351+P3		Rinse cautiously with water for several n easy to do. Continue rinsing.	ninutes. Remove contact lenses, if
P312		ON CENTER/doctor if you feel unwell.	
P337+P313		on persists: Get medical advice/attention.	
P410+P412		sunlight. Do not expose to temperatures ex	ceeding 50 °C/122 °F.
P501	Dispose of c regulations.	contents/container in accordance with loca	al/regional/national/international
· Additional info			
		plosive atmosphere/gas mix may be created	
Warning! Hazar	rdous respirable	droplets may be formed when sprayed. Do	not breathe spray or mist.
· 2.3 Other hazar	rds		
· Results of PBT	and vPvB assess	ment	
• PBT: Not applied			
• vPvB: Not apple	icable.		

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 115-10-6	dimethyl ether	50-100%
EINECS: 204-065-8	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280, EUH018	
Reg.nr.: 01-2119472128-37-xxxx		
CAS: 141-78-6	ethyl acetate	25-<50%
EINECS: 205-500-4	🛞 Flam. Liq. 2, H225; 🚯 Eye Irrit. 2, H319; STOT SE 3,	
Reg.nr.: 01-2119475103-46-xxxx	H336, EUHÔ66	
A distant information. For the wording of the listed has and physical refer to action 16		

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

GB

Printing date 08.12.2023

Version number 1

Revision: 08.12.2023

Trade name: Aerosol UV Blender

(Contd. of page 2)

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media -
- · Suitable extinguishing agents: Cool container whit water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke.
 Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Observe official regulations on storing packagings with pressurised containers.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m³, 500 ppm Long-term value: 766 mg/m³, 400 ppm

(Contd. on page 4)

GB

Printing date 08.12.2023

Version number 1

Revision: 08.12.2023

Trade name: Aerosol UV Blender

(Contd. of page 3)

141-78-6 ethyl acetate

WEL Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin. • **Respiratory protection:**



When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Half mask with combination filter, class A1P2 minimum, or breathing mask with outer air supply.

· Hand protection

Protective gloves



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

Gloves must be changed after every contamination.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 \cdot For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

butyl rubber, 0,7mm

• Eye/face protection Safety glasses



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- \cdot 9.1 Information on basic physical and chemical properties
- · General Information
- · Physical state
- · Colour:
- · Odour:
- Odour threshold:
- Melting point/freezing point:
- · Boiling point or initial boiling point and boiling range
- Aerosol According to product specification Characteristic Not determined. Undetermined.

-24.9 °C

(Contd. on page 5)

GB

Printing date 08.12.2023

Version number 1

Revision: 08.12.2023

Trade name: Aerosol UV Blender

	(Contd. of page
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	2.1 Vol % (141-78-6 ethyl acetate)
Upper:	18.6 Vol % (115-10-6 dimethyl ether)
Flash point:	<0 °C
Auto-ignition temperature:	235 °C (115-10-6 dimethyl ether)
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	nor weren mineu.
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	Noi delermined.
water:	Not miscible or difficult to mix
	Not miscible or difficult to mix. Not determined.
Partition coefficient n-octanol/water (log value)	
Vapour pressure at 20 °C:	3,400 hPa (115-10-6 dimethyl ether)
Density and/or relative density	
Relative density	0.765 g/ml
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Aerosol
Important information on protection of health an	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
Explosive properties.	explosive air/vapour mixtures are possible.
	Not determined.
Solvent content:	Noi determined.
	100.0 %
Organic solvents:	
	With propellant gas. Content given by weight.
VOC (EU)	(<840g/l)
	100.00 %
Solids content:	0.0~%
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container
	May burst if heated.
Oridising ages	• •
Oxidising gases	Void
Gases under pressure	Void Void
Gases under pressure Flammable liquids	Void Void Void
Gases under pressure Flammable liquids Flammable solids	Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable	Void Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void
	Void Void Void Void Void Void Void Void

Printing date 08.12.2023

Version number 1

Void

Revision: 08.12.2023

(Contd. of page 5)

Trade name: Aerosol UV Blender

· Desensitised explosives

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · STOT-single exposure May cause drowsiness or dizziness.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Ikke relevant.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:

· General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 08.12.2023

×

Version number 1

Revision: 08.12.2023

(Contd. of page 6)

GB

Trade name: Aerosol UV Blender

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name · ADR · IMDG · IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
· ADR	
· Class	2 5F Gases.
· Label	2.1
· Class · Label	2.1 Gases. 2.1
· 14.4 Packing group · ADR, IMDG, IATA	Void not classified
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Warning: Gases.
• Hazard identification number (Kemler code):	- not classified
· EMS Number:	F-D,S-U
 Stowage Code Segregation Code 	 SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of litre: Category A. For AEROSOLS with a capacity and 1 litre: Category B. For WASTE AEROSOLS: Categor, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class P. Store and C. Segregation of class P. Store and C. Segregation of class P. Store and C. Segregation of the appropriate subdivision of class P. Store and C. Store and C. Segregation of class P. Store and C. Store and C. Store and C. Segregation of class P. Store and C. Store
	For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class

Printing date 08.12.2023

Version number 1

Revision: 08.12.2023

Trade name: Aerosol UV Blender

	(Contd. of page 2
· Transport/Additional information:	
· ADR	
\cdot Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture VOC: <840g/l

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P3a FLAMMABLE AEROSOLS

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations:

• Technical instructions (air):

Class	Share in %
NK	50-100

• Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The safety data sheet may only be passed on to third parties for the manufacturer's brands.

· Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

 $(Contd. \ on \ page \ 9)$

⁻ GB

Printing date 08.12.2023

Version number 1

Revision: 08.12.2023

Trade name: Aerosol UV Blender

	(Contd. of page 8)
H280	Contains gas under pressure; may explode if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
	8 In use may form flammable/explosive vapour-air mixture.
EUH06	6 Repeated exposure may cause skin dryness or cracking.
· Departn	nent issuing SDS: Product safety department
-	iations and acronyms:
	cord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
Internatio	onal Carriage of Dangerous Goods by Road)
IMDG: In	nternational Maritime Code for Dangerous Goods
IATA: Inte	ernational Air Transport Association
	obally Harmonised System of Classification and Labelling of Chemicals
	European Inventory of Existing Commercial Chemical Substances
	European List of Notified Chemical Substances
	emical Abstracts Service (division of the American Chemical Society)
	sistent, Bioaccumulative and Toxic
	ry Persistent and very Bioaccumulative
	tte toxicity estimate values
	s IA: Flammable gases – Category IA
	: Aerosols – Category 1
	s – Category 3
	is (Comp.): Gases under pressure – Compressed gas
	1. 2: Flammable liquids – Category 2
	2: Serious eye damage/eye irritation – Category 2
	3: Specific target organ toxicity (single exposure) – Category 3
· * Data e	compared to the previous version altered.