

Technical Data Sheet

Peter Kwasny GmbH, Heilbronner Str. 96
74831 Gundelsheim / Germany
Phone: +496269 95-0, Fax: +496269 95-80
www.spraymax.com / www.kwasny.com / info@kwasny.de

SprayTEC Rust remover spray 400 ml Art. Nr. 235013



Product

Description / Purpose

SprayTec rust remover spray is a highly effective, universally applicable rust remover with high creeping ability, penetrates into the smallest cracks and cavities and removes rust. Specific additives ensure infiltration and displacement of moisture, prevent friction, eliminate it squeaks etc.

Properties

- Permanently dissolves dirt and rust
- Loosens rusted parts such as screws, nuts, hinges, bolts, valves
- Prevents friction
- Stops corrosion
- Eliminates squeaks
- Infiltrates and displaces moisture
- Lubricates moving parts
- Best creep properties
- Enables spray tubes on the spray head
precise spraying

Material base

Specific additives

Substrate

Car, motorcycle, trade, industry as well as leisure and hobbies.


Processing

Protection measures




Wear personal protection equipment.
(gloves / goggles)
For more information, see safety data sheet.

Shake




Rinse the can thoroughly for about 30 sec. before use shake.

Spray to test




test spraying

Spraying distance



20 cm - 25 cm
Hold the can as upright as possible.

Processing conditions




Optimum application at 18° C - 25° C.
The substrate must be dry and dust-free.

Continue

Areas to be treated at a distance of Spray on approx. 20 - 25 cm evenly and carefully.
If there is heavy rust, spray accordingly to repeat.


Finish



After use, turn the can upside down and spray the valve completely empty.

Additional Information

Shelf Life



The can is upright, dry and protected from chemical and mechanical influences to be stored and transported between 15 - 25° C.

The safety instructions on the can as well as all legal provisions of the storage location to note.

Disposal



The completely emptied spray cans must be disposed of in the recycling system. Cans with hardened material must be disposed of as special waste.

Note

Before use, the safety instructions must always be read carefully and observed.

The contents in this technical data sheet were created with great care and reflect our current state of knowledge. They provide the user with application-specific information and do not promise certain properties. The information is non-binding and we accept no liability for its integrity, accuracy and completeness. They do not relieve the user of their duty to check the suitability of our product for the intended purpose. The warnings printed on our labels must be respected. Our brands and patents are protected by copyright. All rights reserved We reserve the right to update, amend or supplement the content of the information without prior notice.