

Technical Data Sheet

Peter Kwasny GmbH, Heilbronner Str. 96 74831 Gundelsheim / Germany Phone: +496269 95-0, Fax: +496269 95-80 www.spraymax.com / www.kwasny.com / info@kwasny.de

> belton® Special Neon effect red 400 ml Art. Nr. 323251




Product

Description / Area of use	For decorative paintwork in gaudy neon effect. Fluorescent special pigments provide the special kick with this luminous effect paint. This allows a wide variety of beautify painted objects
	such as lampshades, kites etc.
Product benefits	 Neon effect due to fluorescent special pigments Luminous even with low UV light Good hiding power and fast drying Very good flow and easy processing Weather-resistant, for inside and outside Ideal for decorative items White pre-coating required for optimum neon effect Can also be used for safety coatings.
Material base	Nitro combination resins
<u>Substrate</u>	Metal, wood, plastic, styrofoam, stone, ceramics,
	clay, glass such as rattan/raffia and cardboard/paper etc.

belton

Processing



1. belton basic anti-rust primer (outside)

- 2. belton basic universal primer
- 3. white pre-painting / belton paint spray (white)
- 4. belton special Neon effect
- 5. belton clear coat for all effects

Wood:

- 1. belton basic wood primer
- 2. white pre-painting / belton paint spray (white)
- 3. belton special Neon effect
- 4. belton clear coat for all effects

belton

Plastic:

- 1. belton basic plastic primer
- 2. white pre-painting / belton paint spray (white)
- 3. belton special Neon effect
- 4. belton clear coat for all effects

Styrofoam:

- 1. belton basic styrofoam primer
- 2. white pre-painting / belton paint spray (white)
- 3. belton special Neon effect
- 4. belton clear coat for all effects

Recoatable with itself at any time, with clear coat after 60 min.

After finishing the painting process can turn around and spray the valve empty.

Finish

Additional Information

Please note

Be sure to pre-paint with a white shade to get the best neon effect.

The belton clear coat for all effects (Art. no. 323 399) permanently seals the neon paint and ensures a weatherproof, lightfast and high-gloss finish. Please check plastic substrates for compatibility. All other substrates such as stone, clay, ceramics, glass, rattan/raffia, cardboard/paper should be primed with the belton universal primer.

Shelf Life



The can is upright, dry and protected from chemical and mechanical influences to be stored and transported between 15 - 25° C.

The safety instructions on the can as well as all legal provisions of the storage location to note.

Disposal



The completely emptied spray cans must be disposed of in the recycling system. Cans with hardened material must be disposed of as special waste.

belton

Note

Before use, the safety instructions must always be read carefully and observed.

The contents in this technical data sheet were created with great care and reflect our current state of knowledge. They provide the user with application-specific information and do not promise certain properties. The information is non-binding and we accept no liability for its integrity, accuracy and completeness. They do not relieve the user of their duty to check the suitability of our product for the intended purpose. The warnings printed on our labels must be respected. Our brands and patents are protected by copyright. All rights reserved We reserve the right to update, amend or supplement the content of the information without prior notice.