

# **Technical Data Sheet**

Peter Kwasny GmbH, Heilbronner Str. 96 74831 Gundelsheim / Germany Phone: +496269 95-0, Fax: +496269 95-80 www.spraymax.com / www.kwasny.com / info@kwasny.de

belton® Special
Neon effect orange
400 ml
Art. Nr. 323252



### **Product**

**Description / Area of use** 

For decorative paintwork in gaudy neon effect.

Fluorescent special pigments provide the special kick with this luminous effect paint.

This allows a wide variety of beautify painted objects such as lampshades, kites etc.

**Product benefits** 

- Neon effect due to fluorescent special pigments
- · Luminous even with low UV light
- · Good hiding power and fast drying
- Very good flow and easy processing
- · Weather-resistant, for inside and outside
- Ideal for decorative items
- White pre-coating required for optimum neon effect
- · Can also be used for safety coatings.

**Material base** 

Nitro combination resins

## **Substrate**

Metal, wood, plastic, styrofoam, stone, ceramics, clay, glass such as rattan/raffia and cardboard/paper etc.



## **Processing**

**Protection measures** 

Wear personal protection equipment.

(gloves / goggles)

For more information, see safety data sheet.

**Shake** 



Shake can thoroughly for 2 minutes

- starting from when the mixing balls are heard.

**Spraying distance** 



15 cm - 25 cm

Spray passes



with 2 cross coats: approx. 20 - 25 µm

**Processing conditions** 



The surface to be painted must be clean, dry and free of grease.

Do not spray on synthetic resin painted surfaces, as the paint may pull up.

**Drying** 



dust dry: after approx. 20 min

dry to touch: after approx. 60 min fully cured: after approx. 12 hours

**Painting structure** 

#### Paintwork Metal:

- 1. belton basic anti-rust primer (outside)
- 2. belton basic universal primer
- 3. white pre-painting / belton paint spray (white)
- 4. belton special Neon effect
- 5. belton clear coat for all effects

#### Wood:

- 1. belton basic wood primer
- 2. white pre-painting / belton paint spray (white)
- 3. belton special Neon effect
- 4. belton clear coat for all effects



#### Plastic:

- 1. belton basic plastic primer
- 2. white pre-painting / belton paint spray (white)
- 3. belton special Neon effect
- 4. belton clear coat for all effects

#### Styrofoam:

- 1. belton basic styrofoam primer
- 2. white pre-painting / belton paint spray (white)
- 3. belton special Neon effect
- 4. belton clear coat for all effects

Recoatable with itself at any time, with clear coat after 60 min.

**Finish** 



After finishing the painting process can turn around and spray the valve empty.

### **Additional Information**

Please note

Be sure to pre-paint with a white shade to get the best neon effect.

The belton clear coat for all effects (Art. no. 323 399) permanently seals the neon paint and ensures a weatherproof, lightfast and high-gloss finish. Please check plastic substrates for compatibility. All other substrates such as stone, clay, ceramics, glass, rattan/raffia, cardboard/paper should be primed with the belton universal primer.

**Shelf Life** 



The can is upright, dry and protected from chemical and mechanical influences to be stored and transported between 15 - 25° C.

The safety instructions on the can as well as all legal provisions of the storage location to note.

**Disposal** 



The completely emptied spray cans must be disposed of in the recycling system. Cans with hardened material must be disposed of as special waste.



#### Note

Before use, the safety instructions must always be read carefully and observed.

The contents in this technical data sheet were created with great care and reflect our current state of knowledge. They provide the user with application-specific information and do not promise certain properties. The information is non-binding and we accept no liability for its integrity, accuracy and completeness. They do not relieve the user of their duty to check the suitability of our product for the intended purpose. The warnings printed on our labels must be respected. Our brands and patents are protected by copyright. All rights reserved We reserve the right to update, amend or supplement the content of the information without prior notice.