

## Technical Data Sheet

Peter Kwasny GmbH, Heilbronner Str. 96  
74831 Gundelsheim / Germany  
Phone: +496269 95-0, Fax: +496269 95-80  
www.spraymax.com / www.kwasny.com / info@kwasny.de

**belton® Special**  
**Vintage paint chalk white**  
**400 ml**  
**Art. Nr. 323420**



### Product

#### Description / Area of use

Water-based special paint for decorative paint finishes, to interact with Sandpaper a classy and trendy vintage shabby to achieve a chic look. Ideal for dressers, cabinets and chairs as well as decorative objects wood and metal.

#### Product benefits

- Water-based paint spray
- Great trendy vintage look
- Individual design options
- Fast drying and high opacity
- Allows further processing with sandpaper vintage look
- Suitable for inside, conditionally suitable for outside
- Optimum painting results with little expenditure of time

#### Material base

Special, water-based dispersion

### Substrate

Wood, metal, glass, plastic etc.

## Processing

### Protection measures



Wear personal protection equipment.  
(gloves / goggles)  
For more information, see safety data sheet.

### Shake



Shake can thoroughly for 2 minutes  
- starting from when the mixing balls are heard.

### Spraying distance



15 cm - 25 cm

### Spray passes



with 2 - 3 cross coats: approx. 30 - 40 µm

### Processing conditions



The surface to be painted must be clean, dry and  
free of grease.

### Drying



dust dry: after approx. 10 min  
fully cured: after approx. 12 hours  
sandable: after approx. 20 min  
Sand after drying (recommended P180),  
until the desired vintage effect is achieved.

### Painting structure

#### Paintwork:

#### Wood:

1. Slightly roughen (better adhesion)
2. belton special vintage paint
3. Sand with sandpaper (recommended P180)
4. belton clear coat (optional)

#### Metal:

1. Remove rust, sand/roughen
2. belton special vintage paint
3. Sand with sandpaper (recommended P180)
4. belton clear coat (optional)

## Plastic:

1. belton basic plastic primer
2. belton special vintage paint
3. Sand with sandpaper (recommended P180)
4. belton clear coat (optional)

## Glass:

1. belton basic universal primer
2. belton special vintage paint
3. Sand with sandpaper (recommended P180)
4. belton clear coat (optional)


## Old paintwork:

1. Sand old paintwork, check compatibility
2. belton basic universal primer
3. belton special vintage paint
4. Sand with sandpaper (recommended P180)
5. belton clear coat (optional)

Recoatable with itself at any time, with clear coat after sanding (vintage effect).

Thoroughly remove sanding dust.

## **Finish**



After finishing the painting process can turn around and spray the valve empty.

## **Additional Information**

### **Please note**


Particularly suitable for indoor use, only conditionally suitable for outdoor use.

Please check plastic substrates for compatibility.

All other surfaces such as stone, clay, ceramics, rattan/raffia, cardboard/paper are included the belton universal primer. Do not spray on synthetic resin painted surfaces, as the paint may pull up.

The surface to be painted must be clean, dry and free of grease.

## Shelf Life



The can is upright, dry and protected from chemical and mechanical influences to be stored and transported between 15 - 25° C.

The safety instructions on the can as well as all legal provisions of the storage location to note.

## Disposal



The completely emptied spray cans must be disposed of in the recycling system. Cans with hardened material must be disposed of as special waste.

## Note

Before use, the safety instructions must always be read carefully and observed.

The contents in this technical data sheet were created with great care and reflect our current state of knowledge. They provide the user with application-specific information and do not promise certain properties. The information is non-binding and we accept no liability for its integrity, accuracy and completeness. They do not relieve the user of their duty to check the suitability of our product for the intended purpose. The warnings printed on our labels must be respected. Our brands and patents are protected by copyright. All rights reserved We reserve the right to update, amend or supplement the content of the information without prior notice.