

Technical Data Sheet

Peter Kwasny GmbH, Heilbronner Str. 96
74831 Gundelsheim / Germany
Phone: +496269 95-0, Fax: +496269 95-80
www.spraymax.com / www.kwasny.com / info@kwasny.de

belton® Special
Diamond effect multicoloured
150 ml
Art. Nr. 326062



Product

Description / Area of use

This decorative spray brings "glamour" into your rooms. Brilliant sparkling diamond effect for decorative design and enhancement of various objects.

The diamond effect is particularly effective on dark backgrounds. Ideal for handicrafts and decorative items such as shelf dividers, flower arrangements, straw stars, etc.

Product benefits

- Sparkling diamond and glitter effects
- Effective on dark backgrounds
- Fast drying
- Very good flow and easy processing
- Weather resistant for inside and outside
- Ideal for craft and decorative items

Material base

Acrylic resin

Colour

Clear / multicoloured glitter

Substrate

Metal, wood, plastic, styrofoam, stone, ceramics, clay, glass such as rattan/raffia and cardboard/paper etc.

Processing


Protection measures



Wear personal protection equipment.
(gloves / goggles)

For more information, see safety data sheet.


Shake



Shake can thoroughly for 2 minutes


- starting from when the mixing balls are heard.

Spraying distance



15 cm - 25 cm

Spray passes



with 2 - 3 cross coats: approx. 40 - 50 µm


Processing conditions



For handicraft and decorative objects such as e.g. Shelf dividers, flower arrangements, straw stars, etc. The surface to be painted must be clean, dry and free of grease.

Do not spray on synthetic resin painted surfaces, as the paint may pull up.

Drying



dust dry: after approx. 20 min

dry to touch: after approx. 60 min

fully cured: after approx. 12 hours

Painting structure

Paintwork:

Metal:

1. belton basic anti-rust primer (outside)
2. belton basic universal primer
3. Colored paint / top coat
(recommendation: belton spectRAL)
4. belton special diamond effect
5. belton clear coat for all effects

Wood:

1. belton basic wood primer
2. Colored paint / top coat
(recommendation: belton spectRAL)
3. belton special diamond effect
4. belton clear coat for all effects

Plastic:


1. belton basic plastic primer
2. Colored paint / top coat
(recommendation: belton spectRAL)
3. belton special diamond effect
4. belton clear coat for all effects

Styrofoam:

1. belton basic styrofoam primer
2. Colored paint / top coat
(recommendation: belton spectRAL)
3. belton special diamond effect
4. belton clear coat for all effects

Recoatable with itself at any time, with clear coat after 30 min.

Finish



After finishing the painting process can turn around and spray the valve empty.

Additional Information

Please note

Recommendation:


The belton diamond effect with a colored paint / top coat Pre-coatin the color of your choice (the darker the shade, the more intense the effect of the belton diamond effect).

Then with belton clear coat for all effects (Art. no. 323 399) paint over.

Please check plastic substrates for compatibility.

All other substrates such as stone, clay, ceramics, glass, rattan/raffia, cardboard/paper should be primed with the belton universal primer.

Shelf Life



The can is upright, dry and protected from chemical and mechanical influences to be stored and transported between 15 - 25° C.

The safety instructions on the can as well as all legal provisions of the storage location to note.

Disposal



The completely emptied spray cans must be disposed of in the recycling system. Cans with hardened material must be disposed of as special waste.

Note

Before use, the safety instructions must always be read carefully and observed.

The contents in this technical data sheet were created with great care and reflect our current state of knowledge. They provide the user with application-specific information and do not promise certain properties. The information is non-binding and we accept no liability for its integrity, accuracy and completeness. They do not relieve the user of their duty to check the suitability of our product for the intended purpose. The warnings printed on our labels must be respected. Our brands and patents are protected by copyright. All rights reserved We reserve the right to update, amend or supplement the content of the information without prior notice.