



Technical Data Sheet

Peter Kwasny GmbH, Heilbronner Str. 96
74831 Gundelsheim / Germany
Phone: +496269 95-0, Fax: +496269 95-80
www.spraymax.com / www.kwasny.com / info@kwasny.de

Auto-K Special Transparent Remover 150 ml Art. No. 33120



Product

Description / Purpose

Auto-K Transparent Remover is high tech Remover for the effective removal of transparent sprays on lights, glass, metal, ceramics, etc.

Please note before use:

Be sure to check all plastics for compatibility.

Do not use on dissolvable plastics.

Only suitable for solvent-resistant materials.

Properties

- Effective removal of paint film on lights, glass metal etc., those of transparent sprays come
- All plastics must be checked for compatibility check towards
- Do not use on dissolvable plastics.
- Only suitable for solvent-resistant materials!
- Specific combination of active ingredients
- Highest impact and removal power
- Easy handling
- Very economical and easy to use

Material base

Solvent combination

Colour

colorless

VOC Value (EU)


100

Substrate

Plastics (check compatibility beforehand),
luminaires, glass, metal, ceramics etc.


Processing

Protection measures




Wear personal protection equipment.
(gloves / goggles)
For more information, see safety data sheet.

Spray passes



Spray directly onto the area to be removed from
a distance of 20 cm.
Wipe away quickly with a cloth. Repeat if necessary.

Processing conditions



Optimum application at 18° C - 25° C.
The substrate must be dry and free of dust and
grease.


Additional Information

Important Information



Avoid bumps, friction and impact.
In case of eye contact, rinse immediately with plenty
of water and consult a doctor.
Wash hands with plenty of water after use.
Also observe the safety instructions on the can!

Shelf Life



The can must be stored and transported upright,
dry and protected from chemical and mechanical
influences at a temperature between 15 and 25° C.
The safety instructions on the can and all legal
regulations at the storage location must be observed.

Disposal



The completely emptied spray cans must be dis-
posed of in the recycling system. Cans with hardened
material must be disposed of as special waste.

Note

Before use, the safety instructions must always be read carefully and observed.

The contents in this technical data sheet were created with great care and reflect our current state of knowledge. They provide the user with application-specific information and do not promise certain properties. The information is non-binding and we accept no liability for its integrity, accuracy and completeness. They do not relieve the user of their duty to check the suitability of our product for the intended purpose. The warnings printed on our labels must be respected. Our brands and patents are protected by copyright. All rights reserved We reserve the right to update, amend or supplement the content of the information without prior notice.